## Perkins County, South Dakota Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
AaB	Bullock-parchin loams, 0 to 9 percent slopes	82,000	4.4
AbC	Bullock-slickspots complex	101,010	5.5
Ac	Bullock-trembles-slickspots complex. channeled	16,930	0.9
AdD	Amor-cabba loams. 6 to 15 percent slopes	106,520	5.8
Ar	Arnegard loam	3,360	0.2
Ва	Badland	6,270	0.3
Bb	Banks loamy fine sand	22,375	1.2
BcA	Relfield-grail silt loams. 0 to 2 percent slopes	14,670	0.8
BdB	Belfield-marmarth complex, 0 to 6 percent slopes	6,870	0.4
BeC	Belfield-morton complex, 2 to 9 percent slopes	11,710	0.6
BfA	Belfield-rhoades complex, 0 to 2 percent slopes	13,560	0.7
BhE	Blackhall-cabbart complex, 15 to 40 percent slopes	29,140	1.6
CaE	Cabba-lantry loams, 15 to 40 percent slopes	108,225	5.9
CbD	Cabba-trembles complex, 2 to 30 percent slopes	18,355	1.0
CcD	Cabba and wayden stony soils, 2 to 25 percent slopes	7,610	0.4
CdE	Cohagen-vebar complex, 15 to 40 percent slopes	6,730	0.4
DaB	Daglum-felor loams, 2 to 6 percent slopes Dimmick and heil soils	2,550	0.1
Db	Farnuf loam, 0 to 2 percent slopes	5,950	0.3
FaA FaB	Farnuf loam, 0 to 2 percent slopes	15,825 4,450	0.9
FbA	Farnuf-daglum loams, 0 to 2 percent slopes	23,000	1.2
FCB	Felor-yegen loams, 2 to 6 percent slopes	2,720	0.1
FcC	Folor-wogen leams 6 to 9 persont slopes	590	*
Fd	Fluvaquents, saline	3,665	0.2
Ga	Grail silt loam	3,725	0.2
LaA	Lawther silty clay, 0 to 2 percent slopes	2,960	0.2
LaB	Hawther silty clay. 2 to 6 percent slopes	5,480	0.3
LaC	Lawther silty clay, 6 to 9 percent slopes	670	*
LbB	Lefor fine sandy loam. 2 to 6 percent slopes	7,285	0.4
MaB	Manning fine sandy loam. O to 6 percent slopes	7,620	0.4
MbB	Marmarth loam. 2 to 6 percent slopes	2,910	0.2
McA	Morton loam 0 to 2 percent slopes	6,270	0.3
McB	Morton loam 2 to 6 percent slopes	46,970	2.5
McC	Morton loam, 6 to 9 percent slopes	2,300	0.1
MdC	Morton-lantry loams, 2 to 9 percent slopes	98,999	5.4
MdD	Morton-lantry loams, 6 to 15 percent slopes	92,755	5.0
MeD	Morton-rhoades loams, 6 to 15 percent slopes	7,225	0.4
Pa	Parshall fine sandy loam, 0 to 6 percent slopes	11,910	0.6
Pb	Orthents, hummocky-hanly complex, 0 to 15 percent slopes	735	*
RaA	Reeder loam, 0 to 2 percent slopes	4,320	0.2
RaC	Reeder loam, 6 to 9 percent slopes	2,130	0.1
RbB	Reeder-amor loams, 2 to 6 percent slopes	22,185	1.2
RcC	Reeder-lantry loams, 2 to 9 percent slopes	128,960	7.0
RdB ReB	Regent-daglum complex, 2 to 6 percent slopes	59,465 39,265	3.2
RfB	Regent-savage silty clay loams, 2 to 6 percent slopes	52,070	2.8
RhD	Regent-wayden silty clay loams, 6 to 15 percent slopes	11,665	0.6
RkD	Rhoades-cabba loams, 2 to 25 percent slopes	16,550	0.9
RmC	Rhoades-daglum-slickspots complex, 0 to 9 percent slopes	107,596	5.8
RnD	Rhoades-rock outcrop complex, 6 to 20 percent slopes	32,285	1.7
RoE	Rock outcrop-cabba complex, 9 to 40 percent slopes	12,660	0.7
SaA	Savage silty clay loam, 0 to 2 percent slopes	10,930	0.6
SbA	Savage-daglum complex. 0 to 2 percent slopes	15,480	0.8
Sc	Shambo loam	17,675	1.0
Sd	Shambo loam, channeled	31,145	1.7
SeA	Stady loam. 0 to 2 percent slopes	20,580	1.1
Sh	Lohler-trembles complex	2,535	0.1
Ta	Trembles fine sandy loam	18,610	1.0
Tb	Trembles soils, channeled	18,415	1.0
TcD	Twilight-marmarth-parchin association, gently rolling	122,065	6.6
VaC	Vebar-cohagen_complex. 2 to 9 percent_slopes	62,700	3.4
VaD	Vebar-cohagen complex, 6 to 25 percent slopes	62,065	3.4
VbB	Vebar-tally fine sandy loams, 0 to 6 percent slopes	15,690	0.8
W	Water areas	10,830	0.6
WaD	Wabek sandy loam, 9 to 35 percent slopes	13,110	0.7
WbA	Wabek very gravelly loamy sand, 0 to 2 percent slopes	430	*
	IWatrong loam shallow () to 2 norgent slopes	2,350	0.1
WcA YaB	Watrous loam, shallow, 0 to 3 percent slopesYegen loam, 2 to 6 percent slopes	2,810	0.2

See footnote at end of table.

USDA-NRCS-South Dakota May 2002 Technical Guide Notice SD-130

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
Za	Zeona loamy fine sand, 2 to 9 percent slopes	3,650	0.2
	Total	1,834,240	99.2

<sup>\*</sup> Less than 0.1 percent.

USDA-NRCS-South Dakota May 2002 Technical Guide Notice SD-130